



HPE 3PAR Peer Persistence Software Installation and Startup Service

HPE Lifecycle Event Services

HPE 3PAR Peer Persistence Software Installation and Startup Service provides implementation of the HPE 3PAR Peer Persistence software product. This service provides the analysis, implementation, and testing services necessary for you to deploy HPE 3PAR Peer Persistence functionality.

HPE 3PAR Peer Persistence software provides enhanced availability and disaster recovery protection. To help ensure a timely, cost-effective deployment that reduces risk and shortens your time to results, Hewlett Packard Enterprise service professionals efficiently handle your implementation tasks. The service provides installation and startup for HPE 3PAR Peer Persistence software in your storage environment.

The service:

- Helps you get HPE 3PAR Peer Persistence software up and running quickly and provides a demonstration of the product's key features using sample or test data only
- Enables implementation of automatic transparent failover from one HPE 3PAR storage array to another

Implementation and configuration of host or host cluster failover is not included in the service. Separate HPE implementation services are available to configure host failover.

Service benefits

- Allows your IT resources to stay focused on their core tasks and priorities
- Reduces implementation time, as well as the impact and risk to your storage environment
- Helps ensure a successful implementation by providing HPE installation planning and coordination
- Provides service delivered by a trained specialist and based upon Hewlett Packard Enterprise recommended configurations and industry best practices
- Helps you more effectively utilize your HPE 3PAR software, thanks to the knowledge you gain from the service specialist during onsite delivery of the service

Service feature highlights

- Service planning and coordination
- Service deployment
- Installation verification tests (IVT)
- Customer orientation session

Table 1. Service features

| Feature | Delivery specifications |
|--|--|
| Service planning and coordination | <p>A service specialist will schedule the delivery of the service at a time mutually agreed upon between Hewlett Packard Enterprise and the Customer, which shall be during local HPE standard business hours excluding HPE holidays, unless otherwise agreed by HPE. Any services provided outside of HPE standard business hours may be subject to additional charges. The service specialist will perform the following installation planning and coordination activities:</p> <ul style="list-style-type: none"> • Schedule and coordinate the service • Communicate with the Customer, including handling queries from the Customer regarding service delivery • Verify, using a predelivery checklist, that all service prerequisites that the Customer is responsible for have been met • Provide the planning activities associated with working through the prerequisites of implementing HPE 3PAR Peer Persistence and identifying a suitable host that will be used for the Quorum Witness virtual machine • Collect preliminary documentation for the installation report on the array, volumes, and hosts involved |
| Service deployment | <p>Deployment activities include:</p> <ul style="list-style-type: none"> • Reviewing the engagement with the Customer using the predelivery checklist and verifying that all service prerequisites have been met • Activating HPE 3PAR Peer Persistence licensing, as applicable • For Peer Persistence: <ul style="list-style-type: none"> – Assist customer with deployment of a Quorum Witness virtual machine on a suitable host provided by the customer – Assist Customer with configuration of Quorum Witness virtual machine for automatic transparent failover between the primary and secondary 3PAR arrays – The sample group will contain a maximum of one Peer Persistence source-target relationship, one standalone host or host cluster (where the standalone host or host cluster is associated with both the primary and secondary arrays), and sample/test volumes of up to a total of 500 GB containing no production data. • Documenting the installed configuration details in the installation report |
| Installation verification tests (IVT) | <p>The IVT will be performed with the Customer's system administrator using replication jobs. It will be followed by comprehensive testing on the sample volumes (with no application integration or testing), which will verify the operation of HPE 3PAR Peer Persistence volumes.</p> <ul style="list-style-type: none"> • For Peer Persistence, testing activities include demonstrating and verifying the operation of common Peer Persistence functions <ul style="list-style-type: none"> – Demonstration from the standalone host or host cluster of a transparent failover operation of Peer Persistence volumes from the primary to a secondary array, as applicable – Demonstration from the standalone host or host cluster of a transparent failback from a secondary to the primary array for Peer Persistence volumes, as applicable |
| Customer orientation session | <p>Upon completion of the service, the Hewlett Packard Enterprise service specialist will provide one (1) orientation session of up to two (2) hours' duration on the product and/or technology. During this process, the Hewlett Packard Enterprise service specialist will:</p> <ul style="list-style-type: none"> • Familiarize the Customer with HPE 3PAR Management Console (MC) and command-line interface (CLI) • Review the basic features of HPE 3PAR Peer Persistence with the Customer • Review the installation report and configuration details with the Customer, as implemented • Verify that the Customer understands how to gain access to product documentation • Confirm that the Customer is aware of how to obtain service documentation and support • Hold a brief question-and-answer forum with the Customer <p>The orientation session is informal, is typically conducted at a management console with selected members of the Customer's staff, and is not intended as a classroom activity or substitute for formal product training. The Customer's participation in the product deployment and installation verification testing is also a key component of the orientation session.</p> |

Service limitations

Unless specified in this document or in a separate Statement of Work, activities such as, but not limited to, the following are excluded from this service:

- Implementation and configuration of host or host cluster failover; separate products and services are required to implement host or host cluster failover
- Configuration of HPE 3PAR Peer Persistence with Customer production data, test or sample data of more than 500 GB, or more than a single host or host cluster
- Any implementation of applications or products that integrate with HPE 3PAR Peer Persistence via APIs (e.g., SAP or HPE Data Protector) or extensive customer-specific scripting (unless provided for in a separate SOW)
- Planning, design, implementation, or assessment of the Customer's overall network, SAN, or fabric architecture
- Installation or configuration of any hardware or software products other than HPE 3PAR Peer Persistence, including, but not limited to, servers, host operating systems, host agent software, multipathing software, tape libraries, host bus adapters, network, SAN fabric, Enterprise Backup software, and Application Suite software
- Migration of existing data to the new array or to a new configuration within an existing array
- Design or implementation of high-availability and other complex configurations, such as host clustering
- Design or implementation of host-based logical volume managers and associated file system structures
- Implementation of software revisions, including hot fixes, patches, service packs, or upgrades from prior versions, on the Customer's existing SAN, host, and application environment
- HPE 3PAR Operating System upgrades required for supported version of HPE 3PAR Peer Persistence
- Installation or configuration of network gateways or any hardware or software products not specified in this data sheet
- Performance testing or modeling
- Integration with any hardware or software components not supported by HPE 3PAR Peer Persistence
- Configuration, consulting, and training for optional HPE 3PAR software such as Replication Software Suite, Data Optimization Software Suite, Security Software Suite, Application Software Suite, Reporting Software Suite, Adaptive Optimization Software, Dynamic Optimization Software, Peer Motion Software, Policy Manager Software, Remote Copy Software, Virtual Copy Software, Virtual Lock Software, Virtual Domains Software, System Tuner Software, and multipath I/O (MPIO); separate services are available for these products
- Loading, management, or manipulation of the Customer's data
- Operational testing of applications or troubleshooting of interconnectivity, network, compatibility, or problems not related to HPE 3PAR Peer Persistence
- Any services or documentation not clearly specified in this document or in an associated Statement of Work

Service eligibility

In order to be eligible for this service, the Customer must:

- Provide access to the HPE 3PAR management interface and CLI
- Ensure that the standalone host or host cluster used with HPE 3PAR Peer Persistence is running a supported OS, is operational, and has network connectivity to both primary and secondary 3PAR storage
- Ensure that the host used for the Quorum Witness virtual machine is running a supported OS, is operational, and has network connectivity to both primary and secondary 3PAR storage
- Ensure that HPE 3PAR Remote Copy is operational and in a Hewlett Packard Enterprise supported configuration, including that connectivity is implemented and operational between primary and secondary arrays, and that sufficient bandwidth is provided to support the expected sustained and maximum I/O rates

- Ensure that the HPE 3PAR storage, SAN, and host environment (HPE 3PAR Operating System, topology, firmware, patches, etc.) are compatible with HPE 3PAR Peer Persistence
- Ensure that network requirements are met, including provisioning of physical Ethernet ports and subnets, as required

Customer responsibilities

The Customer will:

- Contact a Hewlett Packard Enterprise service specialist within 90 days of date of purchase to schedule the delivery of the service
- Ensure that all service prerequisites as identified in the 'Service eligibility' section have been met
- Assign a designated person from the Customer's staff who, on behalf of the Customer, will grant all approvals; provide information; ensure that all hardware, firmware, and software that the Hewlett Packard Enterprise service specialist will need in order to deliver this service are available and that software products are properly licensed; and otherwise be available to assist HPE in facilitating the delivery of this service
- Ensure that prerequisite volume capacity is available in the HPE 3PAR storage to support the HPE 3PAR Peer Persistence implementation
- Be responsible for all data backup and restore operations
- Complete and return the prerequisite HPE predelivery checklist to the service specialist at least two weeks prior to the start of the service, including array configuration information, as necessary
- Ensure that the latest 3PAR Management Console (MC) and CLI are installed and operational
- Ensure that any and all prerequisite HPE 3PAR Operating System, firmware, or driver dependencies for the environment are handled before onsite service delivery begins
- Ensure that all hardware and software that the service specialist will need in order to deliver this service are available and that software products are properly licensed
- Ensure the availability, at all times during service delivery, of one or more individuals who will provide administrator-level access to the systems where the work is to be performed
- Provide a host for the Quorum Witness virtual machine that meets minimum requirements, and provide sample data used in delivery of the service
- Provide a suitable work area for delivery of the service, including access to an outside telephone line, power, and any network connections required
- Allow Hewlett Packard Enterprise full and unrestricted access to all locations where the service is to be performed
- Coordinate deployment activities on third-party-maintained hardware or software (if applicable) with the service specialist
- Provide all necessary network and administration assistance to enable connectivity to the HPE 3PAR Storage to allow HPE remote monitoring and support tools to communicate with the HPE Support Center
- Adhere to licensing terms and conditions regarding the use of any HPE service tools used to facilitate the delivery of this service or support tools used to provide ongoing remote monitoring, if applicable
- Perform other reasonable activities to help Hewlett Packard Enterprise identify or resolve problems, as requested by HPE

General provisions/Other exclusions

- Hewlett Packard Enterprise reserves the right to re-price this service if the Customer does not schedule and provide for subsequent delivery within 90 days of purchase.
- Hewlett Packard Enterprise reserves the right to charge, on a time and materials basis, for any additional work over and above the service package pricing that may result from work required to address service prerequisites or other requirements that are not met by the Customer.

Data sheet

- Hewlett Packard Enterprise's ability to deliver this service is dependent upon the Customer's full and timely cooperation with HPE, as well as the accuracy and completeness of any information and data the Customer provides to HPE.
- Portions of the service are delivered remotely or onsite, at Hewlett Packard Enterprise's discretion.
- The service is delivered as a single, contiguous event. If Customer resource availability or other Customer restrictions delay installation or require additional visits beyond the defined scope of the service, additional charges may apply.
- The service is delivered during HPE standard business hours. Service delivery outside these hours is available at additional cost.
- Travel charges may apply; please consult your local office.
- Activities such as, but not limited to, the following are excluded from this service:
 - Service deployment on hardware not covered by an HPE warranty or service maintenance contract
 - Service deployment on hardware covered by an unauthorized third-party maintenance contract
 - Services that, in the opinion of Hewlett Packard Enterprise, are required due to unauthorized attempts by non-HPE personnel to install, repair, maintain, or modify hardware, firmware, or software
 - Service required due to causes external to the HPE maintained hardware or software
 - Any services not clearly specified in this document

Ordering information

To obtain further information or to order the HPE 3PAR Peer Persistence Software Installation and Startup Service, contact a local Hewlett Packard Enterprise sales representative and reference the following product numbers:

- HA124A1#5U1 (U7J39E) for HPE 3PAR 7000 Peer Persistence Software Installation and Startup Service (for use with HPE 3PAR StoreServ 7000; see Notes for more information)
- HA124A1#5U2 for HPE 3PAR Peer Persistence Software Installation and Startup Service (for use with HPE 3PAR F-class, T-class, and StoreServ 10000; see Notes for more information)

Notes:

- Service is limited to demonstration of the product's key features using sample or test data only.
- For advanced implementation of HPE 3PAR Peer Persistence Software that provides deliverables beyond the installation and startup service, order product number HA115A1#5U3 for HPE 3PAR Peer Persistence Level 3 Implementation Service.

For more information

For more information on Hewlett Packard Enterprise support services, contact any of our worldwide sales offices or visit the following website:

www.hpe.com/services/support

www.hpe.com/services/lifecycleevent



**Hewlett Packard
Enterprise**

© Copyright 2012-2013, 2016 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

This data sheet is governed by the Hewlett Packard Enterprise current standard sales terms, which include the supplemental data sheet, or, if applicable, the Customer's purchase agreement with Hewlett Packard Enterprise.

4AA4-2772ENN, October 2016, Rev. 2